

SHENZHEN YOU YUN AN INTELLIGENT TECHNOLOGY CO.,LTD
ROOM 706, 51 PINGXIN NORTH ROAD, SHANGMUGU COMMUNITY, PINGHU STREET, LONGGAN DISTRICT, SHENZHEN, CHINA

Sample Description : OUTDOOR INTELLIGENT HELMET
Item No. : S68A (M/L:55-59cm)
Country of Origin : CHINA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Size : 55cm-59cm
HPI (from reference plane) : 15mm For J-ISO
Sample Receiving Date : Nov 03, 2020
Test Performing Date : Nov 03, 2020 to Nov 20, 2020
Test Performed : CPSC 16 CFR Part 1203
Test Result(s) : For further details, please refer to the following page(s)

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch



Arthur Mak
Authorized Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

Test Conducted: Based on CPSC 16 CFR Part 1203 Safety Standard for Bicycle Helmets

Number of Tested Sample: 8 piece(s)

Test Results: Details shown as following table

Subpart A —The Standard

Clause	Test Item / Test Requirement / Test Method	Test Result
1203.5	Construction requirements – projections. Any unfaired projection extending more than 7 mm (0.28 in.) from the helmet’s outer surface shall break away or collapse when impacted with forces equivalent to those produced by the applicable impact-attenuation tests in § 1203.17 of this standard. There shall be no fixture on the helmet’s inner surface projecting more than 2 mm into the helmet interior.	Pass
1203.6	Labeling and instructions	
	(a) Labeling	
	Each helmet shall be marked with durable labeling so that the following information is legible and easily visible to the user:	Pass
	(1) Model designation.	Pass
	(2) A warning to the user that no helmet can protect against all possible impacts and that serious injury or death could occur.	Pass
	(3) A warning on both the helmet and the packaging that for maximum protection the helmet must be fitted and attached properly to the wearer’s head in accordance with the manufacturer’s fitting instructions.	Pass
	(4) A warning to the user that the helmet may, after receiving an impact, be damaged to the point that it is no longer adequate to protect the head against further impacts, and that this damage may not be visible to the user. This label shall also state that a helmet that has sustained an impact should be returned to the manufacturer for inspection, or be destroyed and replaced.	Pass
	(5) A warning to the user that the helmet can be damaged by contact with common substances (for example, certain solvents [ammonia], cleaners [bleach], etc.), and that this damage may not be visible to the user. This label shall state in generic terms some recommended cleaning agents and procedures (for example, wipe with mild soap and water), list the most common substances that damage the helmet, warn against contacting the helmet with these substances, and refer users to the instruction manual for more specific care and cleaning information.	Pass
	(6) Signal word. The labels required by paragraphs (a) (2) through (5) of this section shall include the signal word “WARNING” at the beginning of each statement, unless two or more of the statements appear together on the same label. In that case, the signal word need only appear once, at the beginning of the warnings. The signal word “WARNING” shall be in all capital letters, bold print, and a type size equal to or greater than the other text on the label.	Pass
	(b) Instructions	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Science Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

Clause	Test Item / Test Requirement / Test Method	Test Result
	Each helmet shall have fitting and positioning instructions, including a graphic representation of proper positioning	Pass
1203.12	Test requirements	
	(a) Peripheral vision All bicycle helmets shall allow unobstructed vision through a minimum of 105° to the left and right sides of the mid-sagittal plane when measured in accordance with § 1203.14 of this standard.	Pass See annex 1
	(b) Positional stability No bicycle helmet shall come off of the test headform when tested in accordance with § 1203.15 of this standard.	Pass See annex 2
	(c) Dynamic strength of retention system All bicycle helmets shall have a retention system that will remain intact without elongating more than 30 mm (1.2 in.) when tested in accordance with § 1203.16 of this standard.	Pass See annex 3
	(d) Impact attenuation criteria (1) General. A helmet fails the impact attenuation performance test of this standard if a failure under paragraph (d)(2) of this section can be induced under any combination of impact site, anvil type, anvil impact order, or conditioning environment permissible under the standard, either with or without any attachments, or combinations of attachments, that are provided with the helmet. Thus, the Commission will test for a “worst case” combination of test parameters. What constitutes a worst case may vary, depending on the particular helmet involved. (2) Peak acceleration. The peak acceleration of any impact shall not exceed 300 g when the helmet is tested in accordance with § 1203.17 of this standard.	Pass See annex 4

Subpart B—Certification

1203.34	Product certification and labeling by manufacturers (including importers)	
(b)	Contents of certification label.	
	The certification labels required by this section shall contain the following:	Pass
	(1) The statement “Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 5 and Older” or “Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 1 and Older (Extended Head Coverage)”, as appropriate; this label may spell out “U.S. Consumer Product Safety Commission” instead of “U.S. CPSC”;	Pass
	(2) The name of the U.S. manufacturer or importer responsible for issuing the certificate or the name of a private labeler;	Pass
	(3) The address of the U.S. manufacturer or importer responsible for issuing the certificate or, if the name of a private labeler is on the label, the address of the private labeler;	Pass
(4) The name and address of the foreign manufacturer, if the helmet was manufactured outside the United States;	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

	(5) The telephone number of the U.S. manufacturer or importer responsible for issuing the certificate or, if the name of a private labeler is on the label, the telephone number of the private labeler;	Pass
	(6) An identification of the production lot; and	Pass
	(7) The uncoded month and year the product was manufactured.	Pass
	Coding	
(c)	(1) The information required by paragraphs (b) (4) and (b) (6) of this section, and the information referred to in paragraph (c) (2) of this section, may be in code, provided:	NA
	(i) The person or firm issuing the certificate maintains a written record of the meaning of each symbol used in the code, and	
	(ii) The record shall be made available to the distributor, retailer, consumer, and Commission upon request.	
	(2) A serial number may be used in place of a production lot identification on the helmet if it can serve as a code to identify the production lot. If a bicycle helmet is manufactured for sale by a private labeler, and if the name of the private labeler is on the certification label, the name of the manufacturer or importer issuing the certificate, and the name and address of any foreign manufacturer, may also be in code.	
(d)	Placement of the label(s) The information required by paragraphs (b)(2), (b)(3), and (b)(5) of this section must be on one label. The other required information may be on separate labels. The label(s) required by this section must be affixed to the bicycle helmet. If the label(s) are not immediately visible to the ultimate purchaser of the bicycle helmet prior to purchase because of packaging or other marketing practices, a second label is required. That label shall state, as appropriate, "Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 5 and Older", or "Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 1 and Older (Extended Head Coverage)". The label shall be legible, readily visible, and placed on the main display panel of the packaging or, if the packaging is not visible before purchase (e.g., catalog sales), on the promotional material used with the sale of the bicycle helmet. This label may spell out "U.S. Consumer Product Safety Commission" instead of "U.S. CPSC."	Pass

Remark: 1. NA = Not applicable.
2. NT = Not tested as per client's request.



SGS-CSTC Standard & Technical Services Co., Ltd.
Guangzhou Branch Testing Center Headlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

Impact attenuation instrument system check:

Systems check	Trial drop	Drop Height (cm)	VEL. m/sec	Milliseconds at		
				Peak G	150 g	200 g
Pre-test	1	158.9	5.43	401.1	2.62	2.20
	2	158.7	5.41	401.3	2.61	2.21
	3	158.8	5.42	401.2	2.61	2.22
Pretest average		--	--	401.2	--	--
Post test	1	158.9	5.43	401.2	2.61	2.23
	2	158.8	5.42	401.1	2.62	2.21
	3	158.7	5.41	401.0	2.61	2.22
Post test average		--	--	401.1	--	--
Difference between pretest and post test averages				0.1g	Difference not to exceed 5%	

Model: S68A

Size: 55-59 cm

Headform: J ISO

HPI (from reference plane): 15 mm

Annex 1: Peripheral vision test

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.14

Ambient temperature at time of test: 21.0 °C

Condition	Horizontal vision	Result
Ambient No. 1	>105°	Pass

Annex 2: Positional stability test

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.15

Ambient temperature at time of test: 21.0 °C

Condition	Come off or not		Result
Ambient No. 5	From rear	Not come off	Pass
	From front	Not come off	Pass

Annex 3: Retention system strength

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.16

Ambient temperature at time of test: 21.0 °C

Condition	Elongation (mm)	Result
Ambient condition No.1	19.2	Pass
High temperature No.2	20.4	Pass
Low temperature No. 3	19.7	Pass
Water immersion No.4	19.8	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

Annex 4: Impact energy attenuation test

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.17

Ambient temperature at time of test: 21.0 °C

Condition	Sample Mass (g)	Impact Loc.	Anvil	Vel.-m/sec	Peak'G	Result
Ambient Condition No.1	363	Left Front	Flat	6.17	197.3	Pass
		Left Rear	Flat	6.28	148.3	Pass
		Right Front	Hemispherical	4.80	100.3	Pass
		Right Rear	Hemispherical	4.83	97.0	Pass
High Temperature No.2	362	Front	Flat	6.24	153.6	Pass
		Rear	Flat	6.23	128.8	Pass
		Crown	Hemispherical	4.76	96.0	Pass
		Left	Hemispherical	4.76	98.9	Pass
Low Temperature No.3	362	Crown	Flat	6.23	203.0	Pass
		Left	Flat	6.23	175.9	Pass
		Front	Hemispherical	4.76	92.7	Pass
		Rear	Hemispherical	4.79	94.6	Pass
Water Immersion No.4	366	Crown	Flat	6.25	183.0	Pass
		Left	Flat	6.23	162.1	Pass
		Front	Hemispherical	4.76	104.1	Pass
		Rear	Hemispherical	4.80	165.0	Pass
Ambient Condition No.5	366	Front	Curbstone	4.80	131.7	Pass
High Temperature No.6	366	Crown	Curbstone	4.75	106.5	Pass
Low Temperature No.7	366	Left	Curbstone	4.75	106.5	Pass
Water Immersion No.8	366	Rear	Curbstone	4.79	108.4	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standard & Technical Services Co., Ltd.
Guangzhou Branch Testing Center Headlines

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

Sample Photo(s):

<p>Front view</p>	
<p>Side view</p>	



SGS-CSTC Scientific Technical Services Co., Ltd.
Guangzhou Branch Testing Center Headlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com



SGS-CSTC Scientific Technical Services Co., Ltd.
Guangzhou Branch Testing Center Headlines











Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



198 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

<p>Bottom view</p>	
<p>Label</p>	
<p>Label</p>	<p>Distributed by: XX This Helmet Complies With U.S. CPSC Safety Standards for Bicycle Helmets for persons aged 5 and older. Telephone: XXXXXXXXXXXXXXXXXXXX MADE IN CHINA Serial No. :1101202011</p>
<p>Label</p>	<p>WARNING! No helmet can prevent all head injuries. Even in very low speed accidents, serious injury or death can occur. For best protection, follow manual fitting instruction. Helmet must fit snugly. Wear chin strap comfortably tight against throat. Fasten buckle securely. Destroy and replace helmet after impact. Protection may not be adequate in future impacts. Damage can be invisible. Don't modify anything on this helmet. It could reduce the helmets ability of protection. Do not clean with solvents, bleaches or strong detergents. They can damage helmet, sometimes invisibly. Use mild soap and water only. Read manual. MADE IN CHINA</p>



<p>Instruction</p>	<table border="1"> <thead> <tr> <th data-bbox="459 436 790 470">P01 Summary</th> <th data-bbox="790 436 1061 470">P02 Wearing method</th> <th data-bbox="1061 436 1372 470">P03 Wearing method</th> </tr> </thead> <tbody> <tr> <td data-bbox="459 470 790 817"> <p>Scope of Application This helmet is suitable for cycling, skating, standboarding, electric bicycle, self-balancing scooter and other non-motor vehicle sports. Not suitable for motorcycles or motor vehicles.</p> <p>① Notes If the pictures in this manual do not match the physical helmet, please refer to the real helmet.</p> <p>Safety Performance This product has passed the test, can protect the head, and reduce the possible damage of cushioning. In order to better protect the user, please choose the appropriate sports environment and sport mode in addition to use the helmet correctly.</p> <p>① Notes Please do not use the helmet after sports collision! Please replace it with a new one immediately or stop using. Our company provides preferential replacement service.</p> <p>Comfortable Lightweight design satisfy your demand of your long-time sporting. Hides design make the helmet good ventilated, cool and comfortable. The soft and elastic design of inner pad makes your wearing more comfortable.</p> </td> <td data-bbox="790 470 1061 817"> <p>1 How to wear the helmet</p> <p>① Correct X Wrong X Wrong</p>  <p>In order to better protect the user, please wear a helmet correctly. Please do not use the helmet after sports collision! Please replace immediately or stop using!</p> <p>2 How to use the buckle</p> <p>It is a male and female device, combining the two into one to complete the locking action as shown in the picture. It should be placed in the middle of the chin, avoiding to be placed in the position of the cheekbone.</p>  </td> <td data-bbox="1061 470 1372 817"> <p>⚠ Note! Please make sure that the buckle is securely locked before cycling. Please adjust the helmet strap appropriately neither too tight nor too loose. Too loose adjustment or wrong wearing method could cause the helmet to slip off the head. And the head cannot be effectively protected, death or injury may occur when an accident occurs.</p> <p>3 How to adjust the strap and buckle</p> <p>There are two movable fan-shaped buckles on the strap, one each on the left and the right. The moving method, as shown in the picture (A), it should be placed on the lower edge of the ear, as shown in the picture (B).</p> <p>How to move the buckle</p>  <p>① Note! Too loose strap could cause the helmet to slip off your head, and if it is too tight, it will be not comfortable. Please adjust the length appropriately according to your head.</p> </td> </tr> </tbody> </table>	P01 Summary	P02 Wearing method	P03 Wearing method	<p>Scope of Application This helmet is suitable for cycling, skating, standboarding, electric bicycle, self-balancing scooter and other non-motor vehicle sports. Not suitable for motorcycles or motor vehicles.</p> <p>① Notes If the pictures in this manual do not match the physical helmet, please refer to the real helmet.</p> <p>Safety Performance This product has passed the test, can protect the head, and reduce the possible damage of cushioning. In order to better protect the user, please choose the appropriate sports environment and sport mode in addition to use the helmet correctly.</p> <p>① Notes Please do not use the helmet after sports collision! Please replace it with a new one immediately or stop using. Our company provides preferential replacement service.</p> <p>Comfortable Lightweight design satisfy your demand of your long-time sporting. Hides design make the helmet good ventilated, cool and comfortable. The soft and elastic design of inner pad makes your wearing more comfortable.</p>	<p>1 How to wear the helmet</p> <p>① Correct X Wrong X Wrong</p>  <p>In order to better protect the user, please wear a helmet correctly. Please do not use the helmet after sports collision! Please replace immediately or stop using!</p> <p>2 How to use the buckle</p> <p>It is a male and female device, combining the two into one to complete the locking action as shown in the picture. It should be placed in the middle of the chin, avoiding to be placed in the position of the cheekbone.</p> 	<p>⚠ Note! Please make sure that the buckle is securely locked before cycling. Please adjust the helmet strap appropriately neither too tight nor too loose. Too loose adjustment or wrong wearing method could cause the helmet to slip off the head. And the head cannot be effectively protected, death or injury may occur when an accident occurs.</p> <p>3 How to adjust the strap and buckle</p> <p>There are two movable fan-shaped buckles on the strap, one each on the left and the right. The moving method, as shown in the picture (A), it should be placed on the lower edge of the ear, as shown in the picture (B).</p> <p>How to move the buckle</p>  <p>① Note! Too loose strap could cause the helmet to slip off your head, and if it is too tight, it will be not comfortable. Please adjust the length appropriately according to your head.</p>
P01 Summary	P02 Wearing method	P03 Wearing method					
<p>Scope of Application This helmet is suitable for cycling, skating, standboarding, electric bicycle, self-balancing scooter and other non-motor vehicle sports. Not suitable for motorcycles or motor vehicles.</p> <p>① Notes If the pictures in this manual do not match the physical helmet, please refer to the real helmet.</p> <p>Safety Performance This product has passed the test, can protect the head, and reduce the possible damage of cushioning. In order to better protect the user, please choose the appropriate sports environment and sport mode in addition to use the helmet correctly.</p> <p>① Notes Please do not use the helmet after sports collision! Please replace it with a new one immediately or stop using. Our company provides preferential replacement service.</p> <p>Comfortable Lightweight design satisfy your demand of your long-time sporting. Hides design make the helmet good ventilated, cool and comfortable. The soft and elastic design of inner pad makes your wearing more comfortable.</p>	<p>1 How to wear the helmet</p> <p>① Correct X Wrong X Wrong</p>  <p>In order to better protect the user, please wear a helmet correctly. Please do not use the helmet after sports collision! Please replace immediately or stop using!</p> <p>2 How to use the buckle</p> <p>It is a male and female device, combining the two into one to complete the locking action as shown in the picture. It should be placed in the middle of the chin, avoiding to be placed in the position of the cheekbone.</p> 	<p>⚠ Note! Please make sure that the buckle is securely locked before cycling. Please adjust the helmet strap appropriately neither too tight nor too loose. Too loose adjustment or wrong wearing method could cause the helmet to slip off the head. And the head cannot be effectively protected, death or injury may occur when an accident occurs.</p> <p>3 How to adjust the strap and buckle</p> <p>There are two movable fan-shaped buckles on the strap, one each on the left and the right. The moving method, as shown in the picture (A), it should be placed on the lower edge of the ear, as shown in the picture (B).</p> <p>How to move the buckle</p>  <p>① Note! Too loose strap could cause the helmet to slip off your head, and if it is too tight, it will be not comfortable. Please adjust the length appropriately according to your head.</p>					
<p>Front test line for (J) ISO</p>							



<p>Side test line for (J) ISO</p>	
<p>Rear test line for (J) ISO</p>	

End of Report



SGS-CSTC (China) Technical Services Co., Ltd.
Guangzhou Branch Testing Center Headlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com