



中国认可
国际互认
检测
TESTING
CNAS L0167

Test Report

No.: GZHL2012059487HM

Date: Dec 16, 2020

Page 1 of 13

SHENZHEN YOU YUN AN INTELLIGENT TECHNOLOGY CO.,LTD
ROOM 706, 51 PINGXIN NORTH ROAD, SHANGMUGU COMMUNITY, PINGHU STREET, LONGGANG
DISTRICT, SHENZHEN, CHINA

Sample Description : OUTDOOR INTELLIGENT HELMET
Item No. : S68B(M/L:55-59cm)
Country of Origin : CHINA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Size : 55cm-59cm
HPI (from basic plane) : 48mm For EN960 575
Sample Receiving Date : Dec 01, 2020
Test Performing Date : Dec 01, 2020 to Dec 16, 2020
Test Performed : BS EN 1078:2012+A1:2012
Test Result(s) : For further details, please refer to the following page(s)

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Lell Wu
Authorized Signatory



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center Headlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

Test Conducted: Based on **BS EN 1078:2012+A1:2012**
Helmets for pedal cyclists and for users of skateboards and roller skates

Number of Tested Sample: 4 piece(s)

Test Results: Details shown as following table

Clause	Test Method/Requirement	Result
4.1	<p>Materials</p> <p>For those parts of the helmet coming into contact with the skin, the material used should be known not to undergo appreciable alteration from contact with sweat or with substances likely to be found in toiletries.</p> <p>Materials shall not be used which are known to cause skin disorders.</p>	NT
4.2	<p>Construction</p> <p>The helmet normally consists of a means of absorbing impact energy and means of retaining the helmet on the head in an accident.</p> <p>The helmet should be durable and withstand handling. The helmet shall be so designed and shaped that parts of it (visor, rivets, ventilators, edges, fastening device and the like) are not likely to injure the user in normal use.</p> <p><i>NOTE: Helmets should:</i> <i>have low weight;</i> <i>be ventilating;</i> <i>be easy to put on and take off;</i> <i>be usable with spectacles;</i> <i>not significantly interfere with the ability of the user to hear traffic noise.</i></p>	Pass See annex 1
4.3	<p>Field of vision</p> <p>When tested in accordance with 5.7 there shall be no occultation in the field of vision bounded by angles as follows (see Figure 1):</p> <ul style="list-style-type: none"> - horizontally: min. 105° from the longitudinal vertical median plane to the left and right hand sides; - upwards: min. 25° from the reference plane; - downwards: min. 45° from the basic plane. 	Pass See annex 4
4.4	<p>Shock absorbing capacity</p> <p>The helmet shall give protection to the forehead, rear, sides, temples and crown of the head.</p> <p>When tested in accordance with 5.3 and 5.4 the peak acceleration shall not, for each impact, exceed 250 g for the velocity of 5,42 +0.1,-0 m/s on the flat anvil, and 4,57+0.1,-0 m/s on the kerbstone anvil.</p> <p><i>NOTE: These are theoretically equivalent to 1 497 mm and 1 064 mm drop heights respectively.</i></p>	Pass See annex 2
4.5	<p>Durability</p> <p>After being tested the helmet shall not exhibit damage that could cause significant injury to the wearer (sharp edges, points).</p>	Pass
4.6	<p>Retention system</p>	
4.6.1	<p>General</p> <p>Means shall be provided for retaining the helmet on the wearer's head. All parts of the retention system shall be securely attached to the helmet.</p>	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Clause	Test Method/Requirement	Result
4.6.2	Chin strap The chin strap shall not include a chin cup. Any chin strap shall be no less than 15 mm wide. Chin straps may be fitted with means of enhancing comfort for the wearer.	Pass
4.6.3	Fastening device Any retention system shall be fitted with a device to adjust and maintain tension in the system. The device shall be capable of adjustment so that the buckle does not sit on the jaw bone.	Pass
4.6.4	Color No part of the retention system shall be colored green. <i>NOTE: It is recommended that the opening mechanism be marked with red or orange color.</i>	Pass
4.6.5	Strength When tested in accordance with 5.5, the dynamic extension of the retention system shall not exceed 35 mm and the residual extension shall not exceed 25 mm. For this purpose, extension includes slippage of the fastening device. Damage to the retention system shall be accepted provided that the above requirements are met. <i>NOTE: In this test, slippage of the fastening device can be measured and recorded separately from other contributions to the extension but this is for information only and is not subject to a separate requirement.</i>	Pass See annex 3
4.6.6	Effectiveness When tested in accordance with 5.6 the helmet shall not come off the headform.	Pass
4.6.7	Ease of release Following the strength test in accordance with 5.5 and with the load still applied, it shall be possible to open the release system with one hand.	Pass
5.2	Inspection and determination of mass Inspect the helmet to ascertain whether it is suitable for its intended purpose and fulfils the general requirements in 4.2. Determine the mass of the helmets of the same size submitted for testing. Calculate and record the mean value in g rounded off to the nearest 10 g, stating the size of the helmet.	Pass See annex 1
6	Marking Each helmet shall be marked in such a way that the following information is easily legible by the user and is likely to remain legible throughout the life of the helmet:	Pass
	a. the number of this European standard;	Pass
	b. the name or trademark of the manufacturer;	Pass
	c. the designation of the model;	Pass
	d. the designation, which shall be one or more of the following:-helmet for pedal cyclists, skateboarders or roller skaters;	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

Clause	Test Method/Requirement	Result
	e. the size or size range of the helmet, quoted as the circumference (in centimeters) of the head which the helmet is intended to fit;	Pass
	f. the weight of the helmet (the average mass in g determined according to EN 1078,5.2);	Pass
	g. year and quarter of manufacture;	Pass
	h. a label carrying the instructions –“Warning! This helmet should not be used by children while climbing or doing other activities when there is a risk of strangulation/hanging if the child gets trapped with the helmet”	Pass
	In addition, if the helmet has components made of material which are known to be adversely affected by contact with hydrocarbons, cleaning fluids, paints, transfers or other extraneous additions, the helmet shall carry an appropriate warning.	Pass
	If there is a consumer sales packaging, the information specified in a), b), d), and h) shall also be given on that package. The text shall be of minimum font size 12.	NT
7	Information supplied by the manufacture	
	With every helmet clear information in the language of the country of sale shall be given as follows:	Pass
	a. that the helmet can only protect if it fits well and that the buyer should try different sizes and choose the size which feels secure and comfortable on the head;	Pass
	b. that the helmet should be adjusted to fit the user, e.g. the straps positioned so that they do not cover the ears, the buckle positioned away from the jawbone and the straps and buckle adjusted to be both comfortable and firm;	Pass
	c. how the helmet should be positioned on the head to ensure the intended protection is provide (e.g. that it should be placed so as to protect the forehead and not be pushed too far over the back of the head); to protect the forehead and not be pushed too far over the back of the head);	Pass
	d. that a helmet cannot always protect against injury;	Pass
	e. that a helmet subjected to a severe impact should be discarded and destroyed;	Pass
f. a statement of the danger of modifying or removing any of the original component parts of the helmet other than as recommended by the manufacturer, and that helmets should not be adapted for the purpose of fitting accessories in a way not recommended by the manufacturer.	Pass	

Remark:

1. NA = Not applicable.
2. NT = Not tested as per client's request.



Model: S68B

Size: 55-59 cm

Test headform: 575 (EN 960:2006)

Annex-1: Mass

Mass of the samples:

Sample No.	Mass (g)
1	347
2	341
3	342
4	341
Average	343

Annex-2: Impact energy attenuation test

Test Specification: BS EN 1078:2012+A1:2012-5.4

Ambient temperature at time of test: 22.1 °C

Sample No.	Condition	Test Anvil	Test site	Velocity (m/s)	Peak'G	Result
1	High temperature No recondition (Clause 5.4.2.1)	Kerbstone	Right front	4.59	81.4	Pass
		Flat	Left	5.49	159.5	Pass
2	Low temperature No recondition (Clause 5.4.2.2)	Flat	Crown	5.48	193.9	Pass
		Kerbstone	Front	4.61	103.0	Pass
3	Artificial Ageing No recondition (Clause 5.4.2.3)	Kerbstone	Rear	4.58	80.4	Pass
		Flat	Right front	5.46	163.5	Pass

Annex-3: Retention system strength

Test Specification: BS EN 1078:2012+A1:2012-5.5

Ambient temperature at time of test: 22.1 °C

Sample No.	Condition	Dynamic extension (mm)	Residual extension (mm)	Result
2	Low temperature No recondition (Clause 5.4.2.2)	25.9	11.8	Pass
3	Artificial Ageing No recondition (Clause 5.4.2.3)	23.7	12.4	Pass

Annex-4: Field of vision

Test Specification: BS EN 1078:2012+A1:2012-5.7

Horizontal: >105°

Upward: >25°

Downward: >45°



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

Sample Photo(s):

<p>Front view</p>	
<p>Side view</p>	





<p>Bottom view</p>	
<p>Label</p>	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center;">ZONZOU M/L <small>EN 1078</small> </p> <p>Product: Out Intelligent Helmet</p> <p>Model No.: S68B</p> <p>Weight: 350g Size: M/L 55-59cm Mfg.date:2020.12</p> <p style="text-align: center;">MADE BY SHENZHEN YOU YUN AN INTELLIGENT TECHNOLOGY CO.,LTD</p> <p style="text-align: center;">Add: ROOM 706,51 PINGXIN NORTH ROAD,SHANGMUGU COMMUNITY, PINGHU STREET, LONGGANG DISTRICT ,SHENZHEN,CHINA</p> </div> <div style="float: right; text-align: center;">  </div>
<p>Label</p>	<div style="border: 1px solid black; padding: 5px;"> <p>Helmets for Pedal Cyclists, Skateboards and Roller Skates</p> <p>Warning: This helmet should not be used by children while climbing or doing other activities when there is a risk of strangulation/hanging if the child gets trapped with the helmet.</p> <p>Helmet can be seriously damaged by substances such as petrol, paint, adhesive and clean agents. Use neutral water to clear only! ZONZOU</p> </div>









SGS-CSTC Guangzhou Branch Technical Services Co., Ltd.
Guangzhou Branch Testing Center Headlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

<p>Instruction</p>	 <p>ZONZOU</p> <p>Youyunan Intelligent Cycling Helmet User Manual</p> <p>www.zonzousmart.com</p>	<div style="border: 1px solid black; padding: 5px; text-align: center;"> <p>Warning!</p> <p>Please read the user manual carefully before using the helmet</p> </div> <div style="margin-top: 10px;"> <p>Tips</p> <p>That the helmet can only protect if it fits well and that the buyer should try different sizes and choose the size which feels secure and comfortable on the head.</p> <p>A statement of the danger of modifying or removing any of the original component parts of the helmet other than as recommended by the manufacturer, and that helmets should not be adapted for the purpose of fitting accessories in a way not recommended by the manufacturer.</p> </div>
<p>Instruction</p>	<div style="background-color: #333; color: white; padding: 5px; text-align: center;"> <p>P01 Summary</p> </div> <p>Scope of Application This helmet is suitable for cycling, skating, skateboarding, electric bicycle, self balancing scooter and other non-motor vehicle sports. Not suitable for motorcycles or motor vehicles.</p> <p>Notes If the pictures in this manual do not match the physical helmet, please refer to the real helmet.</p> <p>Safety Performance This product has passed the test, can protect the head, and reduce the possible damage of cushioning. In order to better protect the user, please choose the appropriate sports environment and sport mode in addition to use the helmet correctly.</p> <p>Notes Please do not use the helmet after sports collision! Please replace it with a new one immediately or stop using. Our company provides preferential replacement service.</p> <p>Comfortable Lightweight design satisfy your demand of your long-time sporting; Holes design make the helmet good ventilated, cool and comfortable; The soft and elastic design of inner pad makes your wearing more comfortable;</p>	<div style="background-color: #333; color: white; padding: 5px; text-align: center;"> <p>P02 Wearing method</p> </div> <p>1 How to wear the helmet</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Correct</p>  </div> <div style="text-align: center;"> <p>Wrong</p>  </div> <div style="text-align: center;"> <p>Wrong</p>  </div> </div> <p>Note! In order to better protect the user, please wear a helmet correctly. Please do not use the helmet after sports collision! Please replace it immediately or stop using!</p> <p>2 How to use the buckle</p> <p>It is a male and female device, combining the two into one to complete the locking action, as shown in the picture. It should be placed in the middle of the chin, avoiding to be placed in the position of cheekbone.</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>Buckler Press</p> </div> <div style="text-align: center;">  <p>Buckler</p> </div> </div>




<p>Instruction</p>	<p style="text-align: center;">P03 Wearing method</p> <p>⚠ Note! Please make sure that the buckle is securely locked before cycling. Please adjust the helmet strap appropriately; neither too tight nor too loose. Too loose adjustment or wrong wearing method could cause the helmet to slip off the head. And the head cannot be effectively protected, death or injury may occur when an accident occurs.</p> <p>3 How to adjust the strap and buckle</p> <p>There are two movable fan-shaped buckles on the strap, one each on the left and the right. The moving method, as shown in the picture (A). It should be placed on the lower edge of the ear, as shown in the picture (B).</p> <p>● How to move the buckle</p> <p>⚠ Note! Too loose strap could cause the helmet to slip off your head, and if it's too tight, it will be not comfortable. Please adjust the length appropriately according to your head.</p> <p style="text-align: right;">CN CN</p>	<p style="text-align: center;">P04 Wearing method</p> <p>4 Size Adjustment System</p> <p>Method of adjuster</p> <p>● Press the front part with one hand and adjust the adjuster accordingly with the other.</p> <p>⚠ Note! Please do not involve your hair in the adjusting knob when using the adjuster.</p> <p>5 How to adjust the adjuster angle.</p> <p>The adjuster is with slide rail, can be adjusted to your comfortable angle, and can be detached for cleaning or replacement.</p> <p>※ Please make sure the slide rail and the slide groove are installed correctly before using this product.</p> <p>Adjusting Steps:</p> <p style="text-align: right;">CN CN</p>
<p>Instruction</p>	<p style="text-align: center;">P05 Wearing method</p> <p>Please adjust the angle through the three adjusting holes, then select the one suitable for you, finally buckle the adjuster and the button seat</p> <p>※ Please make sure that snap-fastener positions on the left and right adjusters are consistent before you buckle the adjuster.</p> <p>⚠ Note! Severe impact or external force extrusion could cause the adjuster damage or deformation.</p> <p>How to remove the inner pad on the adjuster</p> <p>⚠ Note! Please make sure that the inner pad has been pasted on the adjuster before using this product.</p> <p style="text-align: right;">CN CN</p>	<p style="text-align: center;">P06 Helmet Inner Pad</p> <p>6 How to use and replace the inner pad</p> <p>Youyuan smart helmets has unique designed inner pads. You can choose the best match method for you.</p> <p>※ The inner pads can be found in the accessory bag.</p> <p>※ The inner pad is pasted and fixed with the Velcro for being easily removed and installed;</p> <p>⚠ Note!</p> <ul style="list-style-type: none"> ★ To keep ventilation and comfort, please do not block the helmet holes when assembling the inner pad. ★ In order to ensure the health, safety and comfort of cycling, the inner pad should not be repeatedly used for a long time, especially the damaged or old one should be replaced in time! ★ You are suggested to clean and replace the inner pad regularly. <p style="text-align: right;">CN CN</p>



<p>Instruction</p>	<h3>P07 Lighting function</h3> <h4>A Self-check Mode</h4> <p>※ Press and hold the main switch button for 3s to turn on the helmet with a "di" beep. The button indicator (blue light) flashes.</p> <p>※ Then the red light is displayed according to the current actual power. (One light on means that the current battery is 20% of full power, two lights on means 40%, and so on.)</p> <p>※ When the battery indicator shows the battery power normally, the first yellow light on the left side of the rear light bar to the last yellow light on the right will light up in sequence, and then all the yellow lights of the rear light bar will be off, and the first red light on the right to the last red light on the left light up one by one.</p> <p>※ During the self-check of the rear light bar, all the red and yellow lights of the front light bar flash alternately. When all the red lights of the rear light bar from right to left are on, two beeps of "di-di" means the self-check of the front and rear light bars is completed. (After the self-check is completed, the battery indicator will automatically turn off. When you need to check, press the button to turn on the battery display.)</p>  <p style="text-align: center;">CN CN</p>	<h3>P08 Lighting function</h3> <div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <p>Tips</p> <p>Main switch button: Press and hold for 3s to turn on the helmet (press and hold it for 3s to enter the power off state), and enter the always on mode after turning on. At this time, press the main button to enter the double flash mode, and then press the main button to enter the slow flash mode; Press again to enter the fast flash mode. If you do not want to enter the self-check mode when starting up, press the button during the self-check process to directly enter the always on mode. Press again to enter the double flash mode, further press to enter the slow flash mode, and then further press to enter the fast flash mode, so as to cycle. The interval time is 1s when reverse steering is required</p> </div> <h4>B Always On Mode</h4> <p>※ It will enter the always on mode after the self-check</p> <p>※ Front light bar: red lights flash</p> <p>※ Rear light bar: 10 red lights in the middle of the rear light bar flash</p> <h4>C Double Flash Mode</h4> <p>※ In the always on mode, press the main switch button, "Di" beep to enter the double flash mode.</p> <p>※ Front light bar: the yellow light flashes.</p> <p>※ Rear light bar: the yellow light turns on from the middle to the left and right ends one by one, so as to cycle.</p> <p style="text-align: center;">CN CN</p>
<p>Instruction</p>	<h3>P09 Lighting function</h3> <h4>D Left Turning Mode</h4> <p>※ In power on mode, the helmet swings left to center to enter the left turning mode with a "di" beep.</p> <p>※ Front light bar: the left end yellow light flashes. The right end red light is always on.</p> <p>※ Rear light bar: light up one by one from the middle to the left end, so as to cycle. The right end red light is always on.</p> <p>※ About 8s after entering the left steering mode, it will resume to the initial state with two "Di-Di" beeps.</p> <p>※ The best deflection angle is 15° ~ 30°</p> <h4>E Right Turning Mode</h4> <p>※ In power on mode, the helmet swings right to center to enter the right turning mode with a "di" beep.</p> <p>※ Front light bar: the right end yellow light flashes. The left end red light is always on.</p> <p>※ Rear light bar: light up one by one from the middle to the right end, so as to cycle. The left end red light is always on.</p> <p>※ About 8s after entering the right steering mode, it will resume to the initial state with two "Di-Di" beeps.</p> <p>※ The best deflection angle is 15° ~ 30°</p> <h4>F Brake Mode</h4> <p>When the helmet speed changes suddenly (braking), it will trigger the sensor and enter the brake light status.</p> <p>Front light bar: The red light flashes slowly.</p> <p>※ Rear light bar: After the rear light bar lights are all on for 3s, the red light will go from the middle to the left and right ends and light up one by one, so as to cycle.</p> <p>※ It will return to the initial state after entering the brake mode for about 8s.</p> <p style="text-align: center;">CN</p>	<h3>P10 Lighting function</h3> <h4>G Charging Mode</h4> <p>※ The charging modes include power-on charging mode and power-off charging mode. When charging, the red indicator light uses flowing type horse running charging dynamic indication in the section not fully charged, and uses a always on indicator to display in the section fully charged. When the power is less than 20% during charging, the first red light on the left end goes to the far right as a real-time charging indicator. When the power is ≥ 20% < 40% when charging, the first red indicator light on the left is always on, the second red light on the left goes to the far right end for real-time indication, and so on. When the charging power is ≥ 80% < 100%, the fifth red light flashes for charging display. When the charging reaches saturation, the 5 red lights are always on at the same time. It will return to the OFF state after the completion of power-off charging, and return to the ON state after the power-on charging are completed.</p> <h4>Buzzer Tone</h4> <p>※ There will be a "di" tone reminder after each action of the button is completed.</p> <p>※ Turn on/off: the buzzer will "di" beep once to remind.</p> <p>※ Steering signal tone: turn on the steering signal, will be accompanied with a "di" tone (single beep), and then "di-di" after 8 seconds (beep twice indicate that the steering is completed and will turn off the turning signal).</p> <p>※ Low battery (battery less than 10%) tone: "di-di-di-di, di-di-di-di-" (two consecutive beeps of four beeps), remind once every 5 minutes, and power off after three reminders. And when the battery is low, the first red battery indicating light on the left flashes.</p> <p style="text-align: center;">CN</p>



<p>Instruction</p>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <h3 style="text-align: center;">P11 Product parameters</h3> <p>Note! When the helmet is not worn or standby for 3mins, the system will shut down automatically.</p> <p>Product Parameters Product name: smart helmet Product features: somatosensory control, intelligent steering Product model No.: S68B Product head circumference: 550-560mm (M) Product size: 296 x214.5x141mm Product weight: around 390g for US version; around 360g for European version Rated power (W): Max1W Rated working voltage (V): 3.5-4.25V Battery specification: 3.7V, 650mAh Charging parameters: 5V±0.25V, 500mA Average working current: around 80mA (different under different working modes) Continuous working time: around 10 hours Applicable environment: temperature -20 ~ + 50 °C, humidity 0 %~90%RH non-condensing</p> <p>Note! △ Cleaning instructions When cleaning the helmet, if you use solvents, please use neutral soap and water to clean. If you use solvents, paint thinner etc. for cleaning, the helmet will be easily damaged and even cannot be used for protection in an accident. △ Storage instructions</p> </div> <div style="width: 48%;"> <h3 style="text-align: center;">P12 Warranty</h3> <p>Helmets are easily damaged in an environment above 60°C. Dark transportation vehicles and storage bags are prone to exceed this temperature in hot weather. When the helmet is heated, local blistering or unevenness will occur, resulting in the appearance deformation of the helmet. If the helmet is damaged, it should be destroyed or replaced in time.</p> <p>Limited Warranty Period ※ Youyunan guarantees that all products sold are free from defects in materials and workmanship within one year from the date of purchase, unless otherwise specified. If Youyunan finds a product defective, Youyunan may decide to replace the defective product at its own discretion. Youyunan shall not be responsible for any costs, losses or damages caused by the loss or use of any product, and Youyunan definitely denies all claims for indirect and accidental damages. ※ This limited warranty is subject to the following important restrictions: This warranty only applies to products purchased directly from Youyunan or Youyunan's authorized distributors. This limited warranty only applies to the original purchaser of the product, and does not include users who have obtained the product through resale, lease or transfer. This limited warranty does not cover normal wear and tear. This limited warranty does not apply to any problems other than product manufacturing and processing defects. If you attempt to use products other than Youyunan products and services for repairs, or use any third-party products (such as sealants, cameras or helmet liners) in combination with this product, this limited warranty will be void. Through investigation, if Youyunan finds that you have modified, changed or transformed the product in any way, this limited warranty will be void. Youyunan does not make any guarantee for the battery life used in its products. Because the actual battery life will be affected and changed by many factors, such as different configuration and use.</p> </div> </div>
<p>Instruction</p>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <h3 style="text-align: center;">P13 Tips</h3> <p>Please decide by yourself whether to use our products or not, you will be fully responsible (Youyunan will not bear it) for any loss, liability or injury caused by the use of our products, including life, personal injury, loss or damage to computers, mobile devices, and all other properties. Youyunan does not guarantee the battery life of the product or any related product features. All warranty periods covered in the laws of any country, including guarantees of marketability and suitability for specific purposes, are limited to the duration of the limited warranty. Some countries do not allow restrictions on the warranty period, so the above restrictions may not apply to you. In addition to national legal restrictions, the above limited guarantee will replace all other guarantees, assurance, agreements and similar obligations of the manufacturer or seller.</p> <p>Use warning This product is only suitable for non-electric leisure pedal cycling. No helmet can prevent all injuries. Serious injury or even death may occur while riding a bicycle. Youyunan does not admit that this helmet will eliminate all possibility of injury. Youyunan smart lights are designed to assist rather than replace normal front lights and rear lights of bicycles. In some countries and cities/regions, cyclists are required by law to keep the front and back light at all times. Please make sure you understand and abide by local laws and regulations. Youyunan smart lights are designed as an aided design instead of replacing gesture signals. We cannot guarantee that every car driver or person will recognize or notice brake or turning signals. The indicator light can help you, but there is no guarantee that accidents or collisions will not occur. The helmet is not designed for use in motor vehicles. It is only suitable for sports scenes where the helmet has been certified and suitable. When using it, check whether the helmet is damaged or whether it is worn correctly. This helmet is not suitable for children.</p> </div> <div style="width: 48%;"> <h3 style="text-align: center;">P14 Company Information</h3>  <p>Shenzhen Youyunan Intelligent Technology Co., Ltd. Website : www.zo.nzousmart.com Add: ROOM 706, 51 PINGXIN NORTH ROAD, SHANGHANGU COMMUNITY, PINGHU STREET, LONGGANG DISTRICT, SHENZHEN, CHINA Need more help? Send an email to ht@zo.nzousmart.com and we are glad to help you!</p> </div> </div>



Test line for (575)
EN 960:2006 head
form



End of Report



SGS-CSTC 通标标准技术服务(广州)有限公司
Guangzhou Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com